

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	46	leber-fritz.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/15 14:43
S2	1	S1 and ((torque adj converter) WITH (output adj torque))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/05 07:45
S3	5418	ZF.AS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/15 14:44
S4	2	S3 and ((torque adj converter) WITH (output adj torque))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/15 14:44
S5	0	S3 and ((torque adj converter) WITH (output adj torque)) and (speed adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/05 07:48
S6	1	S3 and ((torque adj converter) WITH (output adj torque)) and (pump NEAR3 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/05 07:49
S7	1	S1 and ((torque adj converter) WITH (output adj torque)) and (pump NEAR3 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/05 07:49
S8	164	((torque adj converter) WITH (output adj torque)) and (pump NEAR3 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:22
S9	92	((torque adj converter) WITH (output adj torque)) and (pump NEAR3 speed) and (sensor or detector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:24
S10	22	("3267762" "3448640" "3572168").PN. OR ("3713351").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/05 09:46

S11	2758	(torque converter) WITH (speed NEAR3 (pump or impeller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/15 14:47
S12	676	S11 and (speed NEAR3 (sens\$3 or detect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:25
S13	30	S12 and (Hall NEAR2 (sens\$2 or detect\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/05 09:56
S14	11	("3820417" "4110676" "4222263" "4257040" "4288746" "4355364" "4521731" "4586401" "4612501" "4653458").PN. OR ("H000964"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/05 12:39
S15	5353	324/160-180.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/05 10:37
S16	16	S15 and ((torque or hydrodynamic) adj converter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/05 10:42
S17	603	324/207.22.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:29
S18	33	S17 and (pump or impeller)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/05 10:47
S19	108	192/3.21.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/16 08:49
S20	5	S19 and ((speed or rotation\$2 or rpm) adj (sens\$3 or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/05 10:52
S21	107	192/3.25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/16 08:50

S22	9	S21 and ((speed or rotation\$2 or rpm) adj (sens\$3 or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/05 13:22
S23	78	192/3.27.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/16 08:50
S24	6	S23 and ((speed or rotation\$2 or rpm) adj (sens\$3 or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/05 12:06
S25	668	192/3.29.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/16 08:51
S26	48	S25 and ((speed or rotation\$2 or rpm) adj (sens\$3 or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/05 12:14
S27	292	192/3.28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/16 08:50
S28	19	S27 and ((speed or rotation\$2 or rpm) adj (sens\$3 or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/05 12:32
S29	4	"3820417".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/05 12:33
S30	2	"4922424".pn. or "5509520".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/05 12:40
S31	1	S11 and (performance adj matrix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/05 13:37
S32	369	192/30W.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/05 13:22
S33	29	S32 and ((speed or rotation\$2 or rpm) adj (sens\$3 or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/05 13:22

S34	18	("4506590" "4525000" "4874072" "4899861" "4934501" "4992734" "4994739" "5070298" "5121289" "5299451" "5394081").PN. OR ("5560462").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/05 13:23
S35	370	(performance adj matrix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:28
S36	1	S35 and (torque adj converter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/05 13:28
S37	18	S35 and torque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/05 13:28
S38	43	S11 and (performance adj curve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/04/05 13:37
S39	15	(US-20030130088-\$ or US-20030000789-\$).did. or (US-6785598-\$ or US-6217481-\$ or US-4730708-\$ or US-3713351-\$ or US-3572168-\$ or US-6165102-\$ or US-H000964-\$ or US-4586401-\$ or US-6111404-\$ or US-4718298-\$ or US-3820417-\$ or US-5560462-\$). did. or (US-2994197-\$).did.	US-PGPUB; USPAT; USOCR	OR	ON	2005/04/05 14:23
S40	1	S39 and (performance adj (characteristic or curve))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/05 14:31
S41	32	("2258684" "20030111314" "3202253" "3213983" "3326338" "3537626" "3820417" "4147242" "4982620" "5509520").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/04/05 14:31
S42	0	leber-fritz.IN. and @pd>"20050405"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:21

S43	562	ZF.AS. and @pd>"20050405"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:21
S44	0	S43 and ((torque adj converter) WITH (output adj torque))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:22
S45	3	((((torque adj converter) WITH (output adj torque)) and (pump NEAR3 speed)) and @pd>"20050405"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:22
S46	3	((torque adj converter) WITH (output adj torque)) and (pump NEAR3 speed) and (sensor or detector) and @pd>"20050405"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:24
S47	54	(torque converter) WITH (speed NEAR3 (pump or impeller)) and @pd>"20050405"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:25
S48	20	S47 and (speed NEAR3 (sens\$3 or detect\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:25
S49	18	(performance adj matrix) and @pd>"20050405"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:28
S50	7	324/207.22.ccls. and @pd>"20050405"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/16 08:48
S51	1	192/3.21.ccls. and @pd>"20050405"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:30
S52	0	192/3.25.ccls. and @pd>"20050405"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:30
S53	0	192/3.27.ccls. and @pd>"20050405"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:30

S54	8	192/3.29.ccls. and @pd>"20050405"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:30
S55	0	192/3.28.ccls. and @pd>"20050405"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:31
S56	563	(torque adj converter) and ((pump or impeller) WITH (sens\$3 or detect\$3)) and (performance or characteristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 07:04
S57	153	(torque adj converter) and ((pump or impeller) WITH (sens\$3 or detect\$3)) and (converter WITH (performance or characteristic))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 06:54
S58	85	(torque adj converter) and ((pump or impeller) WITH (sens\$3 or detect\$3)) and (converter WITH (performance or characteristic)) and (torque NEAR2 turbine)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/14 10:57
S59	91	(torque adj converter) and ((pump or impeller) WITH (sens\$3 or detect\$3)) and (converter WITH (performance or characteristic)) and (torque NEAR2 (turbine or (transmission adj input)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/14 11:00
S60	8	(torque adj converter) and ((pump or impeller) WITH (sens\$3 or detect\$3)) and (converter WITH (performance or characteristic)) and ("transmission input torque")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/14 11:00
S61	153	(torque adj converter) and ((pump or impeller) WITH (sens\$3 or detect\$3)) and (converter WITH (performance or characteristic))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 07:01
S62	36	S61 and "701"/\$7.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 06:54
S63	512	(determin\$3 or calculat\$3) WITH (turbine NEAR2 torque)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 07:07
S64	386	S63 and (torque adj converter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 07:03

S65	65	S64 and ((pump or impeller) WITH (sens\$3 or detect\$3)) and (performance or characteristic)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 07:04
S66	61	S65 and ((turbine) WITH (sens\$3 or detect\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 07:04
S67	62	(determin\$3 or calculat\$3) adj (turbine adj torque)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 12:22
S68	6	S66 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 07:45
S69	2081	"60"/\$7.ccls. and (speed adj sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 07:46
S70	173	"60"/\$7.ccls. and ((speed adj sensor) WITH (pump or impeller))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 07:47
S71	10	"60"/\$7.ccls. and ((speed adj sensor) WITH (pump or impeller)) and (torque adj converter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 07:59
S72	23	(hall adj effect) and ((speed adj sensor) WITH (pump or impeller)) and (torque adj converter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 11:51
S73	11	("3820417" "4110676" "4222263" "4257040" "4288746" "4355364" "4521731" "4586401" "4612501" "4653458").PN. OR ("H000964").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/15 08:06
S74	0	(hall adj effect) and ((speed adj sensor) WITH (axial adj end))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 08:11
S75	18	(hall adj effect) WITH (axial adj end)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 08:10
S76	31	(tone adj wheel) and (speed adj sensor) and (axial adj end)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 08:12
S77	1	1996-273652.NRAN.	DERWENT	OR	ON	2005/08/15 08:25

S78	10	("4907445" "4954775" "5140261" "5332964" "5393146").PN. OR ("5602335").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/15 08:30
S79	869	324/174.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/15 08:30
S80	43	S79 and (pump or impeller)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/15 08:31
S81	9	("5121820" or "5065319" or "5608626" or "5938712" or "6347269").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 12:22
S82	6	S81 and (turbine adj torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 11:46
S83	0	(toothed adj2 extension) and (speed adj sensor) and (torque adj converter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 11:47
S84	222	(hall adj effect) and (torque adj converter)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 12:05
S85	22	S84 and (impeller adj speed)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 12:06
S86	9	("5121820" or "5065319" or "5608626" or "5938712" or "6347269").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/08/15 12:22
S87	56	"1" and (determin\$3 or calculat\$3) adj (turbine adj torque)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 12:23
S88	4	S86 and (determin\$3 or calculat\$3) adj (turbine adj torque)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/15 12:23
S89	1	leber-fritz.IN. and @pd>"20050815"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/15 14:43

S90	482	ZF.AS. and @pd>"20050815"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/15 14:44
S91	0	S90 and ((torque adj converter) WITH (output adj torque))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/15 14:45
S92	409	(performance adj matrix)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/15 14:45
S93	22	S92 and torque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/15 14:45
S94	713	(torque converter) WITH (speed NEAR3 ((pump or impeller) and turbine))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/15 14:47
S95	11	S94 and ((turbine near2 torque) with stored)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/15 14:48
S96	1	(US-5608626-\$).did.	USPAT	OR	ON	2005/12/16 07:48
S97	1	S96 and (turbine adj torque)	USPAT	OR	ON	2005/12/16 07:56
S98	1	S96 and grasp\$3	USPAT	OR	ON	2005/12/16 07:56
S99	5	324/207.22.ccls. and @pd>"20050815"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/16 08:48
S10 0	1	192/3.21.ccls. and @pd>"20050815"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/16 08:49
S10 1	1	192/3.25.ccls. and @pd>"20050815"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/16 08:50
S10 2	0	192/3.27.ccls. and @pd>"20050815"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/16 08:50

S10 3	2	192/3.28.ccls. and @pd>"20050815"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/16 08:50
S10 4	10	192/3.29.ccls. and @pd>"20050815"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/16 08:53
S10 5	1220	701/51.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/16 09:30
S10 6	68	S105 and (turbine adj torque)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/16 09:30